



The Leader in
Boat Lift Technology

Easy Launch, **Every Time.**

effortless

Safe Haven™ Boat Lifts are preferred by customers 3 to 1, because unlike our competition, our lifts...

- have a patented air lift design that lifts your craft completely out of the water in less than a minute. Models to fit crafts from 16-30'.
- are the most efficient "green" boat lifts on the market. Safe Haven™ harnesses solar energy so our lifts run without the need for electricity or remote controls. Unlike other lifts, ours contain absolutely no environmental hazards such as hydraulic fluid, oil, grease, or zinc.

- prevent any chance of mechanical failures during launching and docking. No winch required and no power needed.
- install with ease and require ZERO maintenance. Our lifts are made of the toughest materials making them non-corrosive even in the harshest marine conditions.
- reflect sunlight rather than absorb it. That means our non-skid decks are kind to bare feet and hands.

Plus, our Safe Haven™ Lifts come with an eight year warranty!



Our Safe Haven Systems provide easy and effortless access to the water. They are manufactured using only state of the art materials to ensure the highest levels of quality and durability. The outer shell is molded linear low -density polyethylene. Translation... this material is extremely impact and weather resistant. Also, we use light colors for our outer shell, making our Safe Haven Systems kind to bare feet. In addition, our docking systems offer unsurpassed stability when launching, docking, or walking around on the spacious non-skid deck.

The added stability is due to the core being filled with foam flotation, so our docking systems will remain more level than other cube style lifts when

in use. You will grow to appreciate the easy and effortless access to the water that the Safe Haven Systems provide. Additionally, installation is a snap, and your lift can be front or side mounted to your dock using our secure attachment system. It's that easy - your system is complete and ready to use.

To launch your watercraft, simply slide off and drive away. When you're ready to return to your favorite port of call, simply target the bow guide, drive on, and walk away. While docked, you can refuel, wash your watercraft, perform maintenance, or just enjoy the view.

You will no longer waste time and money removing marine growth

from your watercraft, because it is securely docked out of the water. In addition, you can look forward to years of trouble free operation from the Safe Haven Systems.

If you purchase a larger or heavier boat, we offer extensions and additional bunk heights to meet your changing needs. The extensions will accommodate most boats. The Harbor and Retreat 2 lines feature a hybrid system to aid in launching or docking most of the heavier boats.

Given the adaptability, ease of use, and low maintenance of Safe Haven Systems, let us help you minimize your effort and expense and maximize your time spent on the water with family and friends.



Solar Hybrid Harbor Series

Attachment Kits available for floating and fixed docks

Harbor Series

Harbor™

Dimensions:

- 18' x 11' platform
- Max. working load 4500 lbs.



Harbor™ | Harbor™ 2 | Harbor™ 3

Made from state-of-the-art, linear low density polyethylene, non-corrosive materials.

Harbor™ 2

Dimensions:

- 24' x 11' platform
- Max. working load 6000 lbs.



Features*:

- Easiest boatlift to operate
- Simple lift design requires no remote controls
- Does not use environmental hazards such as hydraulic fluid, oils, greases or zincs
- Non skid deck
- Zero maintenance
- Easy installation
- Unsinkable, foam filled
- A perfect fit for most types of watercraft
- Floats with tide or water level changes
- Tail extensions have multiple, replaceable bunk sizes available
- Side & Front Mount
- Solar Hybrid System
- No exposed metal framing
- No mechanical failures to prevent launching boat
- 8-year limited warranty



Harbor™ 3

Dimensions:

- 30' x 11' platform
- Max. working load 7000 lbs.



Retreat™ | Retreat™ with Skiff Package

Attachment Kits available for floating and fixed docks

Retreat™



Dimensions:
• 12' x 7' platform
• Max. working load 2000 lbs.

Features*:

- Easiest boatlift to operate
- Non skid deck
- Zero maintenance
- Easy installation
- A perfect fit for most types of watercraft
- Floats with tide or water level changes
- Unsinkable, foam filled
- Side & Front Mount
- Tail extensions have multiple replaceable bunk sizes available
- Optional Solar Hybrid
- 8-year limited warranty

Retreat™ with Skiff Package



Retreat™ 1.6 | Retreat™ 2

Made from state-of-the-art, linear low density polyethylene, non-corrosive materials.

Retreat™ 1.6



Dimensions:
• 16' x 7.5' platform
• Max. working load 2800 lbs.

Retreat™ 2




Dimensions:
• 20' x 7.5' platform
• Max. working load 2900 lbs.

Retreat™ 2

Retreat™ 1.6 Solar Hybrid

Made from state-of-the-art, linear low density polyethylene, non-corrosive materials.

Retreat™ 1.6 Solar Hybrid



Dimensions:

- 16' x 7.5' platform
- Max. working load 3000 lbs.

Retreat™ 2 Solar Hybrid

Attachment Kits available for floating and fixed docks

Retreat™ 2 Solar Hybrid



Features*:

- Same great features as the Retreat™, Retreat™ 1.6, and Retreat™ 2, Plus...
- Simple lift design requires no remote controls
- Does not use environmental hazards such as hydraulic fluid, oils, greases or zincs
- Easy docking and launching
- Solar power recharge
- No electrical power needed
- No winch required
- No mechanical failures to prevent launching boat
- 110v power supply offered

Dimensions:

- 20' x 7.5' platform
- Max. working load 3500 lbs.



Retreat™ 2 Solar Hybrid





Jet-T™

Made from state-of-the-art, linear low density polyethylene, non-corrosive materials

Hideaway (Model Discontinued) (Only Parts are available)

Attachment Kits available for floating and fixed docks

Dimensions:

- 9'3" x 5'9" x 9" platform
- Max. working load 1000 lbs.



Features*:

- Non skid deck
- Zero maintenance
- Easy installation
- Six-rollers for easy launching
- Floats with tide or water level changes
- Unsinkable, foam filled
- Easiest PWC lift to operate
- All impact and wear surfaces are replaceable
- 10-year limited warranty

Attachment Materials:

- Floating Dock Attachment Kit
- Fixed Dock Attachment Kit
- Hideaway Attachment Kit with storage compartment (Floating Dock Only)



Dimensions:

- 12'5" x 5' x 9" platform
- Max. working load 1300 lbs.

DISCONTINUED
Some parts still available.

Features*:

- Non skid deck
- Zero maintenance
- Easy installation
- Floats with tide or water level changes
- Unsinkable, foam filled
- 3-year limited warranty

Attachment Materials:

- PVC attachment kit for calm water areas
- Use standard 4" PVC pipe for easy mounting
- Hot dip galvanized attachment kit for rough water areas



Side mounted rollers require no maintenance or adjustments

SAFE HAVEN™ Platform Dimensions and Working Load

All platforms are shown with the side mount positions, but are also available with front mount positions for Pile, Floating and Timber mount options.

Harbor™

- 18' x 11' platform
- Max. working load 4500 lbs.

Harbor™ 2

- 24' x 11' platform
- Max. working load 6000 lbs.

Harbor™ 3

- 30' x 11' platform
- Max. working load 7500 lbs.

Retreat™

- 12' x 7' platform
- Max. working load 2000 lbs.

Retreat™ 1.6

- 16' x 7.5' platform
- Max. working load 2800 lbs.

Retreat™ 2


- 20' x 7.5' platform
- Max. working load 2900 lbs.

Retreat™ 1.6 Solar Hybrid:


- 16' x 7.5' platform
- Max. working load 3300 lbs.

Retreat™ 2 Solar Hybrid:


- 30' x 11' platform
- Max. working load 3500 lbs.




Pile Mount




Pile Mount




Pile Mount




Pile Mount




Pile Mount




Pile Mount




Floating Mount



Floating Mount




Floating Mount




Floating Mount




Floating Mount




Floating Mount




Timber Mount




Timber Mount




Timber Mount



Timber Mount




Timber Mount



Timber Mount


Jet-T™

- 9'3" x 5'9" platform
- Maximum working load 1000 lbs.



Jet-T Ultra™

- 12' x 5' platform
- Maximum working load 2000 lbs.



800.835.6287



Safe Haven Parts and Components

Safe Haven products stand the test of time, but should ever need to replace anything we've got you covered!



Connector Link



Timber Link



Pile Attachment Kit



Adjustable Side Pile Attachment



Hideaway Connector



Structure Plug



Harbor Center Roller



Harbor Floating Side Attachment



Decorative Corner



Bow Guide



Retreat 2 Center Roller



Pipe Bunk



Bunk Fill



Solar Box



Timber Corner



Decorative Corner



Connector Link



Pipe Bunk



Harbor Floating Side Attachment



Double Floating Attachment



Retreat 2 Center Roller



Harbor Center Roller




Bow Guide



Timber Link





211 Eagle Road • Goose Creek, SC 29445 **ph** 800.835.6287
info@safehavenboatlifts.com safehavenboatlifts.com