

ETHAN STONE

WWW.SOLIDATILE.COM 804-256-3337 SALES@SOLIDATILE.COM

> 2280 DABNEY RD RICHMOND VA 23230

♦ so|ida

ETHAN STONE

Ethan Stone is a series capturing the beauty of travertine natural stone. This series is offered in three colors: White, Beige and Gray, in a single 12" x 24" field tile size.

Ethan Stone



GLAZED PORCELAIN FLOOR TILE



White ES01

Beige ESO2



Gray ES03

Products

Stock Number	Color	Size	Application	
DRES011224	White	12 x 24"	Floor / Wall	
DRES021224	Beige	12 x 24"	Floor / Wall	
DRES031224	Gray	12 x 24"	Floor / Wall	

CLICK HERE TO LOG IN TO MTDECOR FOR PRICING AND AVAILABILITY

To place an order or set up an account, call 804-256-3337 or email sales@solidatile.com

Ethan Stone



Sizes					Usage		
		Thickness	SqFt. / Carton	Pieces / Carton	FLOORS	WALLS	COUNTERTOPS
	12 x 24 Floor Tile	8.2 mm	15.49	8	F	\bigvee	С

Performance Characteristics

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	≥ 325 lbs.
Scratch Hardness	MOHS	7
Chemical Resistance	C650	Class A
Abrasion Resistance	C1027	Class IV

Notes

Suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation.

APPLICATIONS

	target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	٠
Wet & Level – Interior Floor	≥ 0.42	٠
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	•
Countertops	N/A	•
Pool Linings	N/A	

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3.

solida tile

2280 dabney rd richmond va 23230 804•256•3337 www.solidatile.com